

MAULANA ABULKALAMAZADUNIVERSITYOFTECHNOLOGY, WEST BENGAL (Formerly, WEST BENGAL UNIVERSITY OF TECHNOLOGY) Main Campus: Haringhata, Nadia, West Bengal Kolkata Office: BF-142, Sector –I, Salt Lake City, Kolkata -700 064 Phone: +91332321-0731, 2321-1327#Fax:+91332321-7578,2334-1034 Website:www.makautwb.ac.in PAN: AAAJW0063D#GSTIN: 19AAAJW0063D1Z9#TAN: CALW02602F

# NOTICE

## Tender Notice: MAKAUT-WB/25-26/ES-02

Date: 03.06.2025

# <u>Notice for inviting quotations for Repairing and renovation work at Salt lake Campus-</u> <u>700064 for the different vendors for Haringhata Campus of the University</u>

### **Important Dates:**

| Sl. No. | Particulars                                   | Publishing Date(s) |
|---------|---|--------------------|
| 1.      | Date of N.I.T. and Tender Documents(Starting) | 03.06.2025         |
| 2.      | Bid Submission Starting Date                  | 04.06.2025         |
| 3.      | Bid Submission Closing Date(online)           | 10.06.2025         |
| 4.      | Technical & Financial Bid Opening Date        | To be notified     |

## **Technical Specifications of the Item:**

| Sl.<br>No. | Item             | Description   |
|------------|------------------|---|
|            | Civil Work       | Repairing and Renovation Work for Room No - G22 at Salt |
| 1          | (Repairing &     | Lake campus MAKAUT, WB                                  |
|            | Renovation Work) | Detailed BoQ attached (Page no- 03-05)                  |

## **General Conditions:**

- 1. The bidder should be a registered firm under prevailing rules having an office in West Bengal, preferable in Kolkata and will provide essential registration numbers like TIN, GST, PAN/TAN etc.
- 2. The University reserves the right to accept or reject any tender without showing any reason.
- 3. Service providers should submit the following documents, otherwise the Tender are to be treated as incomplete Tender. Incomplete Tender will summarily be rejected.
- 4. Subcontracting in any from will not be allowed by the University. However, it is the service provider who shall be responsible and liable to deliver the services as per the contract.
- 5. The tenderer is expected to quote rate for each item after careful analysis of costs involved for the performance of the complete item considering technical specifications and conditions of contract. This will avoid a loss of profit or gain in case of curtailment or change of specifications for any item. If it is noticed that the unit rates quoted by the Tenderer for any items are usually high or unusually low, it will be sufficient cause for rejection of the tender unless the University is convinced about the reasonableness of the unit rates on scrutiny of the analysis for such unit rate to be furnished by the tenderer on demand. Notwithstanding anything there in stated, the rates once accepted by the University shall be final and shall not be subject to any change either on account of unworkability of unit rates or on any other ground whatsoever.
- 6. The rates quoted by bidder shall remain firm till completion of all works even during the extended period, if any, on any account whatsoever. It may be noted that no deviation on this account will be acceptable and offer not containing firm price shall not be considered.
- 7. The Contractor shall inspect and examine the Site and its surrounding and shall satisfy himself before submitting his tender as to the nature of the ground ,the form and nature of the Site, the quantities and nature of works and material necessary for the completion of the Works and the means of access to the Site, the accommodation he may require and in general shall himself obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect this tender. No extra charges consequent on any misunderstanding or otherwise shall be allowed.



MAULANA ABULKALAMAZADUNIVERSITYOFTECHNOLOGY, WEST BENGAL (Formerly, WEST BENGAL UNIVERSITY OF TECHNOLOGY) Main Campus: Haringhata, Nadia, West Bengal

Kolkata Office: BF-142, Sector –I, Salt Lake City, Kolkata -700 064 Phone: +91332321-0731, 2321-1327#Fax:+91332321-7578,2334-1034

Website:www.makautwb.ac.in

#### PAN: AAAJW0063D#GSTIN: 19AAAJW0063D1Z9#TAN: CALW02602F

- 8. The Contractor shall be responsible to repair the defective areas at his own expense within defect liability period of one year from the date of completion of the above mentioned work in all respect.
- 9. Deduction of 10% security deposit shall be treated as per rules.
- 10. Defect Liability period shall be provided for 12 Months after completion of the work.
- 11. All legal disputes shall be subjected to the jurisdiction of Calcutta High Court.
- 12. Sealed quotation to be submitted / delivered into TENDER Box of Engineering Section, within 16:00 hours on 10<sup>th</sup> June, 2025 at the address mentioned below, "Maulana Abul Kalam Azad University of Technology, West Bengal, WardNo.08, Post- Simhat, P.S.- Haringhata, Nadia 741249."
- 13. Any dispute which may arise between the parties hereto in respect of this AGREEMENT shall be referred to the Vice- Chancellor of the University whose decision shall be final and irrevocable.

#### **14.** Cover containing the following documents:

| Sl.<br>No. | Category     | Sub-<br>Category | Sub-Category Description   |
|------------|--------------|------------------|--|
| A          | Certificates | Certificates     | <ol> <li>Trade License(Latest)</li> <li>PAN Card</li> <li>GST Registration Certificate</li> <li>Professional Tax Registration Certificate</li> <li>Others(As available)</li> </ol> |

Sd./-Registrar MAAKUT, WB



#### MAULANA ABULKALAMAZADUNIVERSITYOFTECHNOLOGY, WEST BENGAL (Formerly, WEST BENGAL UNIVERSITY OF TECHNOLOGY) Main Campus: Haringhata, Nadia, West Bengal Kolkata Office: BF-142, Sector –I, Salt Lake City, Kolkata -700 064 Phone: +91332321-0731, 2321-1327#Fax:+91332321-7578,2334-1034 Website:www.makautwb.ac.in PAN: AAAJW0063D#GSTIN: 19AAAJW0063D1Z9#TAN: CALW02602F

|                |                                     | BOQ   |              |              |             |            |
|----------------|-------------------------------------|---|--------------|--------------|-------------|------------|
| Civil Work     |                                     |   |              |              |             |            |
| SI.<br>N<br>o. | PWD<br>Schedule<br>- 2017<br>Ref.   | Item  | U<br>ni<br>t | Quan<br>tity | Rate        | Amount     |
| 1              | Page No<br>-11/Item<br>No- 10       | Stripping off worn out plaster and raking out joints of walls, celings etc. upto any height and in any floor including removing rubbish within a lead of 75m as directed.   | S<br>q.<br>M | 92.90        | ₹ 19.00     | ₹1,765.10  |
| 2              | Page No<br>-11/Item<br>No- 8        | Taking out carefully G.C.I. or C.I. or asbestos sheets<br>(including ridges etc.) from roof or wall after unscrewing<br>bolts, nuts, screws etc.and stacking the material at site as<br>directed.   | S<br>q.<br>M | 66.00        | ₹ 41.00     | ₹2,706.00  |
| 3              | Page No<br>-<br>152/Item<br>No- 30  | Labour for taking out door and window frame including<br>shutter for repair or replacement of different parts of the<br>frame & refixing the same including mending good all<br>damaes complete. (Concrete and brick work for mending<br>damage will be paid separately)<br>(a) Upto area 2.5 Sq.m  | S<br>q.<br>M | 7.24         | ₹<br>119.00 | ₹ 861.56   |
| 4              | Page No<br>-149/<br>Item No-<br>9   | Renewing M.S. clamps for door and window frame made<br>of flat bent bar, end bifurcated with necessary screws etc.<br>In cement concrete(1:2:4) including cutting of brick<br>work/concrete work as per direction.<br>(Cost of concrete will be paid separately)<br>(a) 40mm X 6mm, 250mm Length  | E<br>ac<br>h | 14.00        | ₹ 47.00     | ₹ 658.00   |
| 5              | Page No<br>-149/<br>Item No-<br>11  | <ul><li>Taking out old iron hinges and fitting, fixing the same with new steel screws.</li><li>(c) 75mm. Long butt hinge.</li></ul>   | E<br>ac<br>h | 10.00        | ₹ 10.00     | ₹ 100.00   |
| 6              | Page No<br>-8/ Item<br>No-<br>11(d) | Anti-termite treatment to the junction of wood work and<br>masonry walls with chemical emulsion by admixing<br>chloropyrofos emulsifiable concentrates (1%<br>concentration) with water by weight including spraying at<br>the points of contact with the adjoining masonry by<br>drilling 6m. dia holes at a downward angle of about 45<br>degree at the junction of woodwork and masonry and<br>squirting chemical emulsion into these holes at the rate of<br>half litre per hole. The entire work is to be carried out as<br>per specification of Code I.S6313 (Part-III)-1981. The<br>shutters are to be sprayed with emulsion. on both sides. All<br>wooden fixtures like almirahs, racks etc. are also to be<br>throughly sprayed with chemical emulsion.<br>(Payment will be made on the basis of outside<br>measurements of doors and windows) | S<br>q.<br>M | 7.24         | ₹ 61.00     | ₹ 441.64   |
| 7              | Page No<br>-9/ Item<br>No-<br>11(e) | Spot application for insecticides using Aqua base spray for<br>pest (for bugs, cockroaches, silverfish, spider, termites,<br>mosquitoes) to walls and ceiling etc. with chemical<br>emulsion by admixing chloropyrofos emulsifiable<br>concentrates (1% concentration) with water by weight<br>including spraying the emulsified chemical @ 0.5 litres per<br>sq.m. by a hand operated pressure pump on wall surfaces,<br>ceiling, electrical fixture, electrical lines including drilling<br>holes in- places where source of termite is detected<br>squirting chemical solution into the holes and sealing the<br>holes with cement grout. (Rate is per sq.m. of the floor<br>area while actual work will be all walls ceiling, rack,<br>partition and furniture).  | S<br>q.<br>M | 71.00        | ₹ 49.00     | ₹ 3,479.00 |



# MAULANA ABULKALAMAZADUNIVERSITYOFTECHNOLOGY, WEST BENGAL

(Formerly, WEST BENGAL UNIVERSITY OF TECHNOLOGY)


Main Campus: Haringhata, Nadia, West Bengal

Kolkata Office: BF-142, Sector –I, Salt Lake City, Kolkata -700 064 Phone: +91332321-0731, 2321-1327#Fax:+91332321-7578,2334-1034

Website:www.makautwb.ac.in

# PAN: AAAJW0063D#GSTIN: 19AAAJW0063D1Z9#TAN: CALW02602F

|    |                             |   |         |       | 1 _         |                           |
|----|-----------------------------|---|---------|-------|-------------|---------------------------|
| 8  | Page No<br>-189/            | Plaster (to wall, floor, ceiling etc.) with sand and cement<br>mortar including rounding off or chamfering corners as | S<br>q. | 62.00 | ₹<br>186.00 | ₹ 11,532.00               |
|    | Item No-                    | directed and raking out joints including throating, nosing  | Μ       |       |             |                           |
|    | <b>1(ii)</b>                | and drip course, scaffolding/staging where necessary  |         |       |             |                           |
|    |                             | (Ground floor).[Excluding cost of chipping over concrete  |         |       |             |                           |
|    |                             | surface]  |         |       |             |                           |
|    |                             | (ii) With 1:4 cement mortar   |         |       |             |                           |
| 0  | Daga No                     | (a) 20 mm thick plaster<br>Asbestos corrugated (Trafford or similar approved quality)                                 | S       | 63.00 | ₹           | ₹29,673.00                |
| 9  | Page No<br>-80/ Item        | sheet (6 mm thick) work (excluding the supporting   |         | 05.00 | 471.00      | \$29,075.00               |
|    | -80/ ftem<br>No- 7(a)       | framework) fitted and fixed with 9.5mm. dia. J or L hook-   | q.<br>M |       | 4/1.00      |                           |
|    | 1 <b>10</b> - 7( <b>a</b> ) | bolt and nuts, limpet and bitumen washers and putty with  | 101     |       |             |                           |
|    |                             | 150 mm end lap & one corrugation minimum side lap   |         |       |             |                           |
|    |                             | complete. (Payment should be made on area of finished   |         |       |             |                           |
|    |                             | work)(a) In Roof  |         |       |             |                           |
| 10 | Page No                     | Asbestos ridging (with standard lap) fitted and fixed with  | М       | 7.20  | ₹           | ₹ 1,944.00                |
|    | -80/Item                    | necessary hook, bolts, nuts, washers, etc. complete.  | et      |       | 270.00      |                           |
|    | No- 8(a)                    | (a) Close fitting adjustable type   | re      |       |             |                           |
| 11 | Page No                     | Fitting and fixing old pieces of asbestos, G.C.I. or C.I.   | S       | 60.00 | ₹ 69.00     | ₹ 4,140.00                |
|    | -97/Item                    | sheets or plain sheets including closing old holes with   | q.      |       |             |                           |
|    | No-                         | washers and sheet-bolts and nuts, etc. and including fixing   | М       |       |             |                           |
|    | <b>18(a)</b>                | the same to supporting frame with necessary hook-bolts,   |         |       |             |                           |
|    |                             | washers, putty etc. (excluding cost of sheets). (Payment to   |         |       |             |                           |
|    |                             | be made on area of finished work.)  |         |       |             |                           |
|    |                             | (i) With about half old and half new fittings, including the cost of new fittings.                                    |         |       |             |                           |
|    |                             | (a) In roof   |         |       |             |                           |
| 12 | Page No                     | Renewing galvanised J or L hook-bolt with nut and with  | Е       | 20.00 | ₹ 22.00     | ₹ 440.00                  |
|    | -97/Item                    | necessary limpet and bitumen washers, putty etc. fitted and   | ac      | 20.00 | ( 22.00     |                           |
|    | No-                         | fixed complete. (Total length of bolt upto 225 mm)  | h       |       |             |                           |
|    | <b>20(b)</b>                | (b) 8 mm dia. bolt  |         |       |             |                           |
| 13 | Page No                     | Stopping roof leakages in C.I. or G.C.I. or asbestos  | S       | 15.00 | ₹ 14.04     | ₹ 210.60                  |
|    | -98/Item                    | roofing.  | q.      |       |             |                           |
|    | No-                         | (ii) With limpet and bitumen washer and putty   | М       |       |             |                           |
|    | 21(ii)                      |   | a       | 2.00  | 72.105      | <b>T</b> 0 <b>5</b> 01 00 |
| 14 | Page No                     | Z-batten shutters of door and window as per design  | S       | 3.00  | ₹3,197.     | ₹ 9,591.00                |
|    | -123/<br>Item No-           | havings tongued and groovehalf lap jointed as per<br>direction of the Engineer-in-Charge including fitting and        | q.<br>M |       | 00          |                           |
|    | 10(A)i)                     | fixing shutter in position, but excluding the cost of hinges  | IVI     |       |             |                           |
|    | IU(A)I)                     | and other fittings in ground floor.   |         |       |             |                           |
|    |                             | (A) Shutter with 25mm thick planks, 19mm thick battens.   |         |       |             |                           |
|    |                             | (i) Sal : Local.  |         |       |             |                           |
| 15 | Page No                     | Iron butt hinges of approved quality fitted and fixed with  | Е       | 14.00 | ₹28.00      | ₹ 392.00                  |
|    | -                           | steel screws, with ISI mark.  | ac      |       |             |                           |
|    | 140/Item                    | (iii) 75mm. X 40mm. X 1.12mm.   | h       |       |             |                           |
|    | No- 5(                      |   |         |       |             |                           |
| 16 | Page No                     | Supplying concealed type heavy duty PVC headed  | Е       | 6.00  | ₹ 61.00     | ₹ 366.00                  |
|    | -                           | aluminium tower bolt for double leaf doors as per   | ac      |       |             |                           |
|    | 142/Item                    | approved make and brand as per direction of Engineer-in-  | h       |       |             |                           |
|    | No- 5(a)                    | Charge.   |         |       |             |                           |
| 17 | Page No                     | <ul><li>(a) 200 mm long</li><li>i) Iron hasp bolt of approved quality fitted and fixed</li></ul>                      | Е       | 1.00  | ₹           | ₹ 166.00                  |
| 1/ | - 41/Item                   | complete (oxidised) with 16mm dia rod with centre bolt  | E<br>ac | 1.00  | 166.00      | 100.00                    |
|    | No-                         | and round fitting.  | h       |       | 100.00      |                           |
|    | 10(i)c)                     | (c) 300mm long.   |         |       |             |                           |
| 18 | Page No                     | Anodised aliminium D-type handle of approved quality  | Е       | 4.00  | ₹ 61.00     | ₹ 244.00                  |
|    | -145/                       | manufactured from extruded section conforming to I.S.   | ac      |       |             |                           |
|    |                             | specification (I.S. 230/72) fitted and fixed complete:  | h       |       |             |                           |
|    | Item No-                    | specification (1.5: 256/72) inted and fixed complete.   |         |       |             |                           |
|    | 1tem No-<br>30(a)i)         | a) With continuous plate base (Hexagonal/ Round rod)<br>(i) 75 mm grip x 10 mm dia rod.                               | 1       |       |             |                           |



#### MAULANA ABULKALAMAZADUNIVERSITYOFTECHNOLOGY, WEST BENGAL (Formerly, WEST BENGAL UNIVERSITY OF TECHNOLOGY)

Main Campus: Haringhata, Nadia, West Bengal

Kolkata Office: BF-142, Sector –I, Salt Lake City, Kolkata -700 064 Phone: +91332321-0731, 2321-1327#Fax:+91332321-7578,2334-1034

Website:www.makautwb.ac.in

### PAN: AAAJW0063D#GSTIN: 19AAAJW0063D1Z9#TAN: CALW02602F

| 10                   |              |  |    |       |         |          |                       |  |
|----------------------|--------------|--|----|-------|---------|----------|-----------------------|--|
| 19                   | Page No      | Ordinary Cement concrete (mix 1:2:4) with graded stone     | С  | 0.20  | ₹5,482. | ₹ 1      | ,096.41               |  |
|                      | - 4/ Item    | chips (20 mm nominal size) excluding shuttering and        | u. |       | 04      |          |                       |  |
|                      | No - 24      | reinforcement, if any, in ground floor                     | Μ  |       |         |          |                       |  |
| 20                   | Page No      | Scraping of moss, blisters etc.thoroughly from exterior    | S  | 90.00 | ₹ 7.00  | ₹        | 630.00                |  |
|                      | -            | surface of walls necessitating the use of scraper, wire    | q. |       |         |          |                       |  |
|                      | 198/Item     | brush etc.(Payment against this item will be made only     | M  |       |         |          |                       |  |
|                      | No - 1       | when this has been done on the specific direction of the   |    |       |         |          |                       |  |
|                      |              | Engineer-in-charge)  |    |       |         |          |                       |  |
| 21                   | Page No      | Applying decorative cement based paint of approved         | S  | 102.0 | ₹ 49.00 | ₹4       | ,998.00               |  |
|                      | - 197/       | quality after preparing the surface including scraping the | q. | 0     |         |          |                       |  |
|                      | Item No      | same thoroughly (plastered or concrete surface) as per     | Ň  |       |         |          |                       |  |
|                      | - 15         | manufacturer's specification.                              |    |       |         |          |                       |  |
|                      |              | In Ground floor:   |    |       |         |          |                       |  |
|                      |              | (iii) Two coats.   |    |       |         |          |                       |  |
| 22                   | Page No      | b) Priming one coat on timber or plastered surface with    | S  | 10.00 | ₹ 38.00 | ₹        | 380.00                |  |
|                      | -            | synthetic oil bound primer of approved quality including   | q. |       |         |          |                       |  |
|                      | 200/Item     | smoothening surfaces by sand papering etc.                 | M  |       |         |          |                       |  |
|                      | No - 1       |  |    |       |         |          |                       |  |
|                      | ( <b>b</b> ) |  |    |       |         |          |                       |  |
| 23                   | Page No      | Painting with best quality synthetic enamel paint of       | S  | 10.00 | ₹ 70.00 | ₹        | 700.00                |  |
|                      | -200/        | approved make and brand including smoothening surface      | q. |       |         |          |                       |  |
|                      | Item No      | by sand papering etc. including using of approved putty    | Μ  |       |         |          |                       |  |
|                      | -            | etc. on the surface, if necessary :                        |    |       |         |          |                       |  |
|                      | 2(A)a)ii)    | (a) On timber or plastered surface :                       |    |       |         |          |                       |  |
|                      |              | With other than hi-gloss of                                |    |       |         |          |                       |  |
|                      |              | (ii) Two coats (white in shade)approved quality-           |    |       |         |          |                       |  |
| Elec                 | ctrical Wor  | ·k   |    |       |         |          |                       |  |
|                      |              | Installation of Ceilling/Wall Fans:                        |    |       |         |          |                       |  |
| 1                    | Non.         | Fixing only celing fan on ceiling by S&F rag bolts, nuts & | E  | 1.00  | ₹ 80.00 | ₹        | 280.00                |  |
|                      | PWD          | washers (6 mm dia x 62 mm long) or as reqd. incl. S&F      | ac |       |         |          |                       |  |
|                      |              | 24/0.20 PVC insulated flexible copper wire 0.5 mt. length  | h  |       |         |          |                       |  |
|                      |              | And Iron Clamp with Flas Nut bolt                          |    |       |         |          |                       |  |
| 2                    | Non.         | Supply (48 inch) High Speed Energy Efficient 53W Ceiling   | Е  | 1.00  | ₹2,800. | ₹        | 2,800.00              |  |
|                      | PWD          | Fan (White).Motor, mounting accessories kit, blade, guard  | ac |       | 00      |          |                       |  |
|                      |              | set, guard ring, guarantee card, Warranty: 2 years on      | h  |       |         |          |                       |  |
|                      |              | product.(Make: Crompton / Orient / Usha )                  |    |       |         |          |                       |  |
| 3                    | Non.         | Supply 4' T8 Fluorescent Tube-Colour 840-Cool White        | E  | 10.00 | ₹160.0  | ₹        | 1,600.00              |  |
|                      | PWD          | [4000k], G13, 36 W   | ac |       | 0       |          |                       |  |
|                      |              |  | h  |       |         |          |                       |  |
| 4                    | Non.         | Supply Exhaust Fan - Sweep : 300mm, Power : 55W, Air       | Е  | 1.00  | ₹1,850. | ₹        | 1,850.00              |  |
|                      | PWD          | Delivery: 1250 CMH, RPM: 1400 High Speed Provides          | ac |       | 00      |          |                       |  |
|                      |              | high RPM, Robust metal body Strong Metal Body : Ensures    | h  |       |         |          |                       |  |
|                      |              | Longevity, Warranty : 2 years on product Includes:         |    |       |         |          |                       |  |
|                      |              | Instruction Manual, Warranty Card ,Material Type:          |    |       |         |          |                       |  |
|                      |              | Acrylonitrile Butadiene Styrene; Mounting Type: Wall       |    |       |         |          |                       |  |
|                      |              | Mount; Controller Type: Button Control (Make: Crompton /   |    |       |         |          |                       |  |
|                      |              | Orient / Usha )  |    |       |         |          |                       |  |
| Tota                 |              |  |    |       |         |          | 3,044.31<br>14,947.98 |  |
| Add GST 18% Of Total |              |  |    |       |         |          |                       |  |
|                      | Total        |  |    |       |         |          | 7,992.28              |  |
|                      | Labour C     | Cess 1% of Sub Total                                       |    |       |         | ₹ 979.92 |                       |  |
| Add                  |              |  |    |       |         |          |                       |  |
|                      | nd Total     |  |    |       |         | ₹98      | 3,972.21              |  |

Sd./ Registrar, MAKAUT, WB

# FORMATFORQUOTATIONSUBMISSION

(In Letter head of the Contractor with seal)

Tender Notice Number:

Tender Date:

To,

The Registrar, Maulana Abul Kalam Azad University of Technology, West Bengal Ward No: 08, Post: Simhat, P.s. Haringhata, Nadia -741249

| SI.<br>No. | Description<br>of Works | _    |     | Quoted<br>Cost | GS<br>(B |               | LWC<br>(C) |               |  |
|------------|-------------------------|------|-----|----------------|----------|---------------|------------|---------------|--|
|            |                         | All) | per | (A)            | In %     | In<br>figures | In %       | In<br>figures |  |
| 1.         |                         |      |     |                |          |               |            |               |  |
|            |                         |      |     |                |          |               |            |               |  |
|            |                         |      |     |                |          |               |            |               |  |
|            |                         |      |     |                |          |               |            |               |  |
| Total C    | Cost                    |      |     |                |          |               |            |               |  |
| Gross      | Total Cost(A+           |      |     |                |          |               |            |               |  |

Undertaking:

- 3. Financial selection will be done base on the lowest quoted cost (A).
- 4. We confirm that the normal commercial warranty/ guarantee of ......months shall apply to the offered works and we also confirm to agree with terms and conditions as mentioned in the Notice Inviting Tender.
- 5. All pages have been signed in token of acceptance of the same.

Seal & Signature of Vendor

Name: \_\_\_\_\_

Address: \_\_\_\_\_

Contact No: \_\_\_\_\_

| GSTIN:       |     |  |
|--------------|-----|--|
| PAN:         |     |  |
| P.           | Tax |  |
| Registration | No. |  |
| (if any) :   |     |  |